



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/980,434	11/28/2001	Hiroyuki Yamamoto	9683/95	3419
7	590 12/15/2005		EXAM	INER
Brinks Hofer Gilson & Lione			RAMPURIA,	SHARAD K
P O Box 10395 Chicago, IL 60610			ART UNIT	PAPER NUMBER
Cincago, IL	50010		2688	

DATE MAILED: 12/15/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		09/980,434	YAMAMOTO ET AL.				
		Examiner	Art Unit				
		Sharad Rampuria	2688				
	The MAILING DATE of this communication						
Period fo	or Reply						
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR RE MAILING DATE OF THIS COMMUNICATIOnsions of time may be available under the provisions of 37 CFI SIX (6) MONTHS from the mailing date of this communication period for reply specified above is less than thirty (30) days, a poperiod for reply is specified above, the maximum statutory per to reply within the set or extended period for reply will, by streply received by the Office later than three months after the med patent term adjustment. See 37 CFR 1.704(b).	NN. R 1.136(a). In no event, however, may a reply be a reply within the statutory minimum of thirty (30) or iniod will apply and will expire SIX (6) MONTHS for iatute, cause the application to become ABANDOI	timely filed days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).				
Status							
1) 又	Responsive to communication(s) filed on 0	7 September 2005.					
,—	• • • • • • • • • • • • • • • • • • • •	This action is non-final.					
3)	Since this application is in condition for allo	owance except for formal matters, p	prosecution as to the merits is				
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	ion of Claims						
4)⊠ 5)□ 6)⊠ 7)□	Claim(s) <u>1-62</u> is/are pending in the applicate 4a) Of the above claim(s) is/are with Claim(s) is/are allowed.  Claim(s) <u>1-62</u> is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction are	drawn from consideration.					
Applicati	ion Papers						
9)	The specification is objected to by the Exan	niner.					
10)	The drawing(s) filed on is/are: a)	accepted or b)  objected to by the	e Examiner.				
	Applicant may not request that any objection to	the drawing(s) be held in abeyance. S	See 37 CFR 1.85(a).				
_	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the	e Examiner. Note the attached Office	ce Action or form PTO-152.				
Priority (	under 35 U.S.C. § 119	•					
а)	Acknowledgment is made of a claim for fore  All b) Some * c) None of:  1. Certified copies of the priority docum  2. Certified copies of the priority docum  3. Copies of the certified copies of the papplication from the International Busee the attached detailed Office action for a	nents have been received. nents have been received in Application priority documents have been received (PCT Rule 17.2(a)).	ation No ived in this National Stage				
Attachmen	t(s)						
	te of References Cited (PTO-892)	4) Interview Summa					
3) Infor	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SE er No(s)/Mail Date		Date al Patent Application (PTO-152)				

Art Unit: 2688

## **DETAILED ACTION**

I. The current office-action is in response to the application filed on 9/7/05.

Accordingly, Claims 1-62 are pending for further examination as follows:

## **Double Patenting**

II. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

III. Claims 1-62 provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-80 of copending Application No. 09/786818 (based on claims amended on 09/23/2005).

This is a provisional obviousness-type double patenting rejection.

Although the conflicting claims are not identical, but they are not patentably distinct from each other because all of the claimed limitations of the present U.S. Application No. 09/980434 for example, Claim 1 is explained in following table, is transparently found in Claim 11 of copending U.S. Application No. 09/786818 with obvious wording variations.

Application/Control Number: 09/980,434

Art Unit: 2688

Instant Claim of U.S. Application No.	Related Claim of copending U.S. Application	
09/980434	No. 09/786818	
1. A location reporting method, comprising the	11. A location information notifying method	
steps of:	for notifying a predetermined computer,	
	location information of a mobile	
	communication terminal obtained from a	
	mobile communication network which	
	contains mobile communication terminal	
	capable of wireless communication said	
	location information notifying method	
	comprising: relaying communication between a	
	mobile communication terminal and a	
	computer, wherein said communication	
	includes identification information of said	
	mobile communication terminal;	
Receiving by a mobile communication	Receiving from said computer a request signal	
terminal, from a computer through a mobile	requesting location information of said mobile	
communication network, down data containing	communication terminal;	
a request for location information;		
Acquiring by said mobile communication	Detecting the location of said mobile	
terminal location information indicating the	communication terminal in response to said	
location of itself; and	request signal based on said identification	

Page 4

Application/Control Number: 09/980,434

Art Unit: 2688

	information, and generating location
	information of said mobile communication
	terminal;
Transmitting, by said mobile communication	Detecting a predetermined data sequence
terminal, after adding said acquired location	within data transmitted from said mobile
information to said received data, said data to	communication terminal to said computer; and
said computer as up data.	substituting said predetermined data sequence
	with said identification information.

## Claim Rejections - 35 USC § 102

IV. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

V. Claims 1-11, 14-36, & 39-62 are rejected under 35 U.S.C. 102 (e) as being anticipated by Kimoto et al. [US 6115611]

Regarding Claims 1, 14-19, 23, 27, 40, 43-44, 46, 49, 52-54 Kimoto disclosed a location reporting method (Abstract), comprising the steps of:

Art Unit: 2688

Receiving by a mobile communication terminal (1F; Fig.1), from a computer (2B; Fig.1) through a mobile communication network, down data containing a request (i.e. In the information center 2E, the retrieving unit 22E retrieves corresponding information or service in the accumulating unit 21E on the basis of the request from the mobile terminal 1J, and the information/service transmitting unit 23E, takes out the retrieved information or service from the accumulating unit 21E, and sends the information or service to the mobile terminal 1J. The mobile terminal 1J accumulates the received information or service in the accumulating unit; col.27; 17-25) for location information; (col.16; 23-33 and Claim 1)

Acquiring by said mobile communication terminal location information indicating the location of itself; (i.e. The <u>up-load data</u> transmitting unit 13 transmits information or a service relating to the above position information as <u>up-load data</u> to the information center 2. The information/service utilizing unit 14 utilizes information or a service relating to the position information transmitted from the information center 2; col.16; 23-33) and

Transmitting, by said mobile communication terminal, after adding said acquired location information to said received data, said data to said computer as up data. (i.e. In the information center 2, the accumulating unit 21 accumulates information or a service relating to information of a position according to a movement of the mobile terminal 1. The retrieving unit 22 receives position information transmitted from the mobile terminal 1, and retrieves information or a service relating to the position information accumulated in the accumulating unit 21. The accumulation controlling unit 23 accumulates in the accumulating unit 21 the information or the service relating to position information as <u>up-load data</u> transmitted through the <u>up-load data</u> transmitting unit 13 in the mobile terminal 1. The information/service transmitting unit 24 takes

out information or a service relating to the position information retrieved by the retrieving unit 22 from the accumulating unit 21, and transmits the information or the service relating to the position information to the mobile terminal 1 having transmitted the position information; col.16; 34-50)

Regarding Claims 2-7, 28-32, 50-51, 55-57, 61-62 Kimoto disclosed A location reporting method as described in claims 1, 27, 49 respectively, wherein said steps performed by said mobile communication terminal further include the step of: detecting whether said down data contains a character string requesting location information acquisition time; wherein, said acquiring step further includes acquiring the acquisition time of said location information; and wherein, said transmitting step further includes adding said acquired location information acquisition time before transmission. (Col.34; 52-64)

Regarding Claims 8-10, 33-35, 58-60 Kimoto disclosed A location reporting method as described in claims 1, 27, 49 respectively, wherein, after said down data is received, said location information are acquired and transmitted at predetermined intervals. (Col.40; 25-40).

Regarding Claims 11, 24, 36, 38, 47 Kimoto disclosed A location reporting method as described in claims 1, 23, 27, 37, 46 respectively, wherein, said acquiring step includes generating, by said mobile communication terminal, the location of itself using a global positioning system. (Col.37; 47-57)

Page 7

Art Unit: 2688

Regarding Claims 20, 37 Kimoto disclosed A location reporting method as described in claims 1, 27 respectively, wherein, said computer is an information providing server for providing said mobile communication terminal with location-related information relating to the location of said mobile communication terminal. (Col.37; 63-col.38; 12)

Regarding Claims 21, 25 Kimoto disclosed A location reporting method as described in claims 1, 23, respectively, wherein, said computer is a terminal connected to a network and capable of transmitting and receiving data by radio or wire. (Col.37; 63-col.38; 12)

Regarding Claims 22, 26 Kimoto disclosed A location reporting method as described in claims 1, 23, respectively, wherein, said mobile communication terminal is a portable telephone for performing phone conversations by radio. (Col.37; 63-col.38; 12)

Regarding Claim 39, Kimoto disclosed A mobile communication terminal as described in claim 27, wherein, said acquiring means is capable of acquiring location information by a plurality of different location measuring methods, and said down data contains information designating a location measuring method; wherein, said acquiring means includes means for selecting a location measuring method designated by said down data, from among said plurality of the location measuring methods; and wherein, said transmitting means transmits, carried on said up data, location information acquired by said acquiring means according to said selected location measuring method. (Col.37; 47-57)

Art Unit: 2688

Regarding Claim 41, Kimoto disclosed A mobile communication terminal as described in claim 39, wherein, said location measuring method includes either one of a method using a global positioning system, or a method of identifying a base station covering an area in which said mobile communication terminal is located. (Col.37; 47-57)

Regarding Claim 42, Kimoto disclosed A mobile communication terminal as described in claim 39, wherein said location information contains: latitude and longitude; or information based on an administrative classification. (Col.37; 47-57)

Regarding Claim 45, Kimoto disclosed A mobile communication terminal as described in claim 27, wherein said mobile communication terminal is a portable telephone for performing phone conversations by radio. (Col.37; 63-col.38; 12)

VI. Claims 12-13, & 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kimoto further in view of Fan et al. (US 5959577).

Regarding Claim 12, The above combination disclosed all the particulars of the claim except transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication network to generate the location information. However, Fan teaches in an analogous art, that A location reporting method as described in claim 1, wherein, said acquiring step includes the steps of: transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication

network to generate the location information; generating, by said predetermined node, the location information of said mobile communication terminal in response to said request signal and transmitting said location information to said terminal; and receiving, by said mobile communication terminal, the location information transmitted from said node. (col.7; 47-67) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication network to generate the location information in order to provide a data network, such as the Internet, is involved in locating mobile units.

Regarding Claim 13, The above combination disclosed all the particulars of the claim except a plurality of satellites. However, Fan teaches in an analogous art, that A location reporting method as described in claim 12, further comprising the step of: receiving, by said mobile communication terminal, radio waves transmitted from a plurality of satellites constituting a global positioning system; wherein, said step of transmitting request signal includes transmitting information contained in a plurality of said received radio waves, together with said request signal; and wherein, said step of generating location information includes generating said location information using the information contained in said plurality of radio waves. (8; fig.1; col.5; 2-7) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include a plurality of satellites in order to provide a GPS receiver, position information of a mobile unit is determined from positioning signals received from GPS satellites and pseudo-ranges derived from the positioning signals.

Regarding Claim 37, The above combination disclosed all the particulars of the claim except transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication network to generate the location information. However, Fan teaches in an analogous art, that A mobile communication terminal as described in claim 27, wherein, said acquiring means includes: request transmitting means for transmitting a request signal requesting a predetermined node of said mobile communication network to generate the location information; and location information receiving means for receiving the location information transmitted, in response to said request signal, from said node. (col.7; 47-67) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication network to generate the location information in order to provide a data network, such as the Internet, is involved in locating mobile units.

Regarding Claim 38, The above combination disclosed all the particulars of the claim except a plurality of satellites. However, Fan teaches in an analogous art, that A mobile communication terminal as described in claim 37, further comprising: means for receiving radio waves transmitted from a plurality of satellites constituting a global positioning system, wherein, said request signal transmitting means transmits information contained in said plurality of received radio waves, together with said request signal. (8; fig.1; col.5; 2-7) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include a plurality of satellites in order to provide a GPS receiver, position information of a mobile unit is

Application/Control Number: 09/980,434 Page 11

Art Unit: 2688

determined from positioning signals received from GPS satellites and pseudo-ranges derived

from the positioning signals.

Response to Argument

VII. Applicant's arguments with respect to claims 1-62 have been considered but are moot in

view of the new ground(s) of rejection.

Conclusion

VIII. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Sharad Rampuria whose telephone number is (571) 272-7870.

The examiner can normally be reached on M-F. (9-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, George Eng can be reached on (571) 272-7495. The fax phone number for the

organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://portal.uspto.gov/external/portal/pair. Should you have questions on access to

the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

free) or EBC@uspto.gov.

Sharad Rampuria Examiner Art Unit 2688

GEORGE ENG
PRIMARY EXAMINER